



SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MINIMUM RATED TEMPERATURE	MAXIMUM PRESSURE
E4619-1	BLEED AIR LINE	AERO-FLEX	800°F	180 PSI

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH EAGLE PART NUMBER USING STANDARD AERO-FLEX TAGGING
7) WEIGHT: 0.32 lbs

A	NEW ISSUE	BY	12.12.03
REV.	DESCRIPTION	BY	DATE
DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 1 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-3	OIL VENT LINE	STRATOFLEX	101005-8CR-0406	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.62 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 2 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-5	FUEL LINE AIRFRAME FILTER TO ENGINE	STRATOFLEX	101001-6CR-0121	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.12 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 3 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.</small>	

SPECIFICATION CONTROL DRAWING






EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-7	FUEL LINE FUEL SHUTOFF TO AIRFRAME FILTER	STRATOFLEX	101005-6CR-0166	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

- NOTES:
- 1) MATERIAL: SEE TABLE
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 0.20 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 4 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-9	DRAIN LINE	STRATOFLEX	101062B0083C045	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.07 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 5 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-11	OIL LINE	STRATOFLEX	101005-10CR-0481	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.96 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 6 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.</small>	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-13	OIL LINE	STRATOFLEX	101003-12CR-0380	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

- NOTES:
- 1) MATERIAL: SEE TABLE
 - 2) FINISH: N/A
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
 - 7) WEIGHT: 1.01 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 7 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.	

SPECIFICATION CONTROL DRAWING




EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-15	BRAKE LINE	STRATOFLEX	101003-4CR-0081	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.06 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 8 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.</small>	

SPECIFICATION CONTROL DRAWING





EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONTSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-17	DRAIN LINE	STRATOFLEX	101062B0153C000	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.12 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 9 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.</small>	

SPECIFICATION CONTROL DRAWING



EAGLE PART NUMBER	DESCRIPTION	MANUFACTURER	MANUFACTURER PART NUMBER	SPECIFICATION	CONSTRUCTION TYPE	CONSTRUCTION REINFORCEMENT	CONSTRUCTION COVER
E4619-19	OIL LINE	STRATOFLEX	101001-10CR0050	SAE AS4897 AND AS150 TYPE 1AB	SEAMLESS, EXTRUDED CONDUCTIVE POLYTETRAFLUOROETHYLENE	CORROSION RESISTANT STEEL WIRE BRAID	INTEGRAL SILICONE

NOTES:
1) MATERIAL: SEE TABLE
2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1
7) WEIGHT: 0.15 lbs

DESIGN		EAGLE COPTERS LTD CALGARY, ALBERTA, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	E4619	SHEET 10 OF 10
APPROVED		TITLE	SCALE
DE APPR.		FLEX LINE	NTS
DATE	12.12.03	COPYRIGHT © 2012 BY EAGLE COPTERS LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM EAGLE COPTERS LTD.</small>	